

CrossWind

A white car is shown from a side-rear perspective, driving on a racetrack. The background features a large, modern building with a glass facade. The image is heavily stylized with motion blur and vibrant, diagonal light streaks in shades of yellow, orange, and red, creating a sense of high speed and dynamic energy.

2022

CONSUMER TIRE CATALOG



CrossWind

2022 TIRE CATALOG

2022

TABLE OF CONTENTS

PASSENGER

PERFORMANCE ALL-SEASON

CROSSWIND HP010 PLUS4-5

ULTRA HIGH PERFORMANCE ALL-SEASON

CROSSWIND ALL SEASON6-7

SUV/CUV/LIGHT TRUCK

TOURING SUV/LT

CROSSWIND 4X4 HP8-9

HIGHWAY ALL-SEASON SUV/LT

CROSSWIND H/T10-11

HIGHWAY ALL-SEASON LT

L78012-13

ALL-TERRAIN SUV/LT

CROSSWIND A/T14-15

TRACTION LT

CROSSWIND M/T16-17

CROSSWIND HP010 PLUS

PERFORMANCE ALL-SEASON

Introducing the all-new CrossWind HP010 Plus, a performance all-season tire built to withstand any weather condition and offers superior ride quality for drivers of coupes, compacts, sedans and SUVs.

FEATURES & BENEFITS

- Rigid tread blocks for higher lateral stiffness to provide extensive grip when cornering
- Solid center rib provides increased handling stability and responsiveness in various conditions
- Multi-shape sipe design ensures excellent wet handling and traction performance
- Deep grooves enhance rolling resistance and energy-saving performance
- M&S rated for all-season traction performance

SIZES

- Broad range of 14" - 19" T, H, W and V-rated sizes for expanded market coverage

FITS

- Broadline sedans, coupes, compacts and vans

WARRANTY



50,000-mile/80,000-km. limited treadwear warranty



Free replacement first 2/32" of treadwear for workmanship and material



PERFORMANCE



CROSSWIND HP010 PLUS PERFORMANCE ALL-SEASON

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
CTR1724LL	185/70R14	88T	SL	440 A B	10	BLK	5.5	7.44	24.25	1235 @ 51	24
CTR1725LL	195/70R14	91T	SL	440 A B	10	BLK	6.0	7.91	24.80	1356 @ 51	25
CTR1761LL	175/65R14	82H	SL	520 AA	10	BLK	5.0	6.97	22.99	1047 @ 51	23
CTR1762LL	185/65R14	86H	SL	520 AA	10	BLK	5.5	7.44	23.46	1168 @ 51	23
CTR1733LL	215/70R15	98T	SL	440 A B	10	BLK	6.5	8.70	26.89	1653 @ 51	27
CTR1727LL	185/65R15	88H	SL	520 AA	10	BLK	5.5	7.44	24.45	1235 @ 51	24
CTR1728LL	195/65R15	91H	SL	520 AA	10	BLK	6.0	7.91	25.00	1356 @ 51	25
CTR1730LL	205/65R15	94H	SL	520 AA	10	BLK	6.0	8.23	25.47	1477 @ 51	25
CTR1773LL	185/60R15	84H	SL	520 AA	10	BLK	5.5	7.44	23.74	1102 @ 51	24
CTR1741LL	195/60R15	88H	SL	520 AA	10	BLK	6.0	7.91	24.21	1235 @ 51	24
CTR1743LL	205/60R15	91H	SL	520 AA	10	BLK	6.0	8.23	24.69	1356 @ 51	25
CTR1712LL	215/70R16	100T	SL	440 A B	10	BLK	6.5	8.70	27.87	1764 @ 51	28
CTR1765LL	215/65R16	98H	SL	520 AA	10	BLK	6.5	8.70	27.01	1653 @ 51	27
CTR1783LL	225/65R16	100H	SL	520 AA	10	BLK	6.5	8.98	27.48	1764 @ 51	27
CTR1799LL	235/65R16	103H	SL	520 AA	10	BLK	7.0	9.45	28.03	1929 @ 51	28
CTR1718LL	205/60R16	92H	SL	520 AA	10	BLK	6.0	8.23	25.67	1389 @ 51	26
CTR1748LL	215/60R16	95V	SL	520 AA	10	BLK	6.5	8.70	26.14	1521 @ 51	26
CTR1752LL	225/60R16	98H	SL	520 AA	10	BLK	6.5	8.98	26.61	1653 @ 51	27
CTR1756LL	235/60R16	100H	SL	520 AA	10	BLK	7.0	9.45	27.09	1764 @ 51	27
CTR1781LL	195/55R16	87H	SL	520 AA	10	BLK	6.0	7.91	24.41	1201 @ 51	24
CTR1742LL	205/55R16	91H	SL	520 AA	10	BLK	6.5	8.43	24.88	1356 @ 51	25
CTR1757LL	215/55R16	93H	SL	520 AA	10	BLK	7.0	8.90	25.28	1433 @ 51	25
CTR1731LL	215/65R17	99H	SL	520 AA	10	BLK	6.5	8.70	28.03	1709 @ 51	28
CTR1776LL	225/65R17	102H	SL	520 AA	10	BLK	6.5	8.98	28.50	1874 @ 51	29
CTR1777LL	235/65R17	104H	SL	520 AA	10	BLK	7.0	9.45	29.06	1984 @ 51	29
CTR1711LL	215/60R17	96H	SL	520 AA	10	BLK	6.5	8.70	27.17	1565 @ 51	27
CTR1755LL	225/60R17	99H	SL	520 AA	10	BLK	6.5	8.98	27.64	1709 @ 51	28
CTR1707LL	235/60R17	102H	SL	520 AA	10	BLK	7.0	9.45	28.11	1874 @ 51	28
CTR1708LL	215/55R17	94V	SL	520 AA	10	BLK	7.0	8.90	26.30	1477 @ 51	26
CTR1788LL	225/55R17	97V	SL	520 AA	10	BLK	7.0	9.17	26.77	1609 @ 51	27
CTR1789LL	235/55R17	99V	SL	520 AA	10	BLK	7.5	9.65	27.17	1709 @ 51	27
CTR1758LL	215/50R17	95V	XL	520 AA	10	BLK	7.0	8.90	25.51	1521 @ 50	26
CTR1766LL	225/50R17	98V	XL	520 AA	10	BLK	7.0	9.17	25.91	1653 @ 50	26
CTR1753LL	215/45R17	91W	XL	520 AA	10	BLK	7.0	8.39	24.65	1356 @ 50	25
CTR1771LL	225/45R17	94W	XL	520 AA	10	BLK	7.5	8.86	24.96	1477 @ 50	25
CTR1754LL	235/45R17	97V	XL	520 AA	10	BLK	8.0	9.29	25.35	1609 @ 50	25
CTR1705LL	235/65R18	106H	SL	520 AA	10	BLK	7.0	9.45	30.04	2094 @ 51	30
CTR1737LL	255/65R18	111H	SL	520 AA	10	BLK	7.5	10.24	31.06	2403 @ 51	31
CTR1734LL	225/60R18	100H	SL	520 AA	10	BLK	6.5	8.98	28.62	1764 @ 51	29
CTR1749LL	235/60R18	103H	SL	520 AA	10	BLK	7.0	9.45	29.09	1929 @ 51	29
CTR1768LL	245/60R18	105H	SL	520 AA	10	BLK	7.0	9.76	29.57	2039 @ 51	30
CTR1709LL	215/55R18	99H	XL	520 AA	10	BLK	7.0	8.90	27.28	1709 @ 50	27
CTR1792LL	225/55R18	98H	SL	520 AA	10	BLK	7.0	9.17	27.76	1653 @ 51	28
CTR1735LL	235/55R18	104V	XL	520 AA	10	BLK	7.5	9.65	28.15	1984 @ 50	28
CTR1726LL	225/50R18	95W	SL	520 AA	10	BLK	7.0	9.17	26.89	1521 @ 51	27
CTR1713LL	235/50R18	101W	XL	520 AA	10	BLK	7.5	9.65	27.28	1819 @ 50	27
CTR1714LL	225/45R18	95W	XL	520 AA	10	BLK	7.5	8.86	25.94	1521 @ 50	26
CTR1717LL	245/45R18	100W	XL	520 AA	10	BLK	8.0	9.57	26.65	1764 @ 50	27
CTR1778LL	225/40R18	92W	XL	520 AA	10	BLK	8.0	9.06	25.08	1389 @ 50	25
CTR1775LL	245/40R18	97W	XL	520 AA	10	BLK	8.5	9.76	25.71	1609 @ 50	26
CTR1772LL	255/60R19	109H	SL	520 AA	10	BLK	7.5	10.24	31.06	2271 @ 51	31
CTR1721LL	225/55R19	99V	SL	520 AA	10	BLK	7.0	9.17	28.78	1709 @ 51	29
CTR1723LL	235/55R19	105V	XL	520 AA	10	BLK	7.5	9.65	29.17	2039 @ 50	29
CTR1797LL	225/45R19	96W	XL	520 AA	10	BLK	7.5	8.86	26.97	1565 @ 50	27
CTR1794LL	245/45R19	102V	XL	520 AA	10	BLK	8.0	9.57	27.68	1874 @ 50	28
CTR1798LL	255/45R19	104V	XL	520 AA	10	BLK	8.5	10.04	28.07	1984 @ 50	28
CTR1702LL	235/40R19	96V	XL	520 AA	10	BLK	8.5	9.49	26.42	1565 @ 50	26

CROSSWIND ALL SEASON

ULTRA HIGH PERFORMANCE ALL-SEASON

The CrossWind Ultra High Performance All-Season tire delivers exceptional high-speed stability and ride comfort on both wet and dry surfaces.

FEATURES & BENEFITS

- Economical, high-quality Y, W and V-rated performance
- Symmetrical design provides optimal ground contact and shortens braking distance on wet and dry surfaces
- M&S-rated all-season traction performance
- Large lug-type shoulder blocks improve cornering and handling performance
- Outstanding straight line stability
- Exterior rim flange protector helps guard wheels from curb damage

SIZES

- Broad range of 16" - 22", 24" and 26" Y, W and V-rated sizes for expanded market coverage

FITS

- Performance sedans, coupes, compacts and CUVs

WARRANTY



40,000-mile/64,000-km. limited treadwear warranty



Free replacement first 2/32" of treadwear for workmanship and material



PERFORMANCE

	BRAKING	9
	CORNERING	9
	DRY HANDLING	9
	WET PERFORMANCE	9
	QUIET RIDE	8



CROSSWIND ALL SEASON ULTRA HIGH PERFORMANCE ALL-SEASON

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
UHP2706LL	205/55R16	94W	XL	280 AA	10	BLK	6.5	8.43	24.88	1477 @ 42	22
UHP2708LL	215/55R16	97W	XL	280 AA	10	BLK	7.0	8.90	25.28	1609 @ 42	25
UHP2704LL	205/50R16	87W	SL	280 AA	10	BLK	6.5	8.43	24.09	1201 @ 36	22
UHP2709LL	225/50R16	96V	XL	280 AA	10	BLK	7.0	9.17	24.88	1565 @ 42	22
UHP2701LL	195/45R16	84V	XL	400 AA	10	BLK	6.5	7.68	22.91	1102 @ 42	18
UHP2702LL	205/45R16	87W	XL	400 AA	10	BLK	7.0	8.11	23.23	1201 @ 42	19
UHP2734LL	215/55R17	98W	XL	400 AA	10	BLK	7.0	8.90	26.63	1653 @ 42	23
UHP2743LL	225/55R17	101W	XL	400 AA	10	BLK	7.0	9.17	26.77	1521 @ 35	30
UHP2746LL	235/55R17	103W	XL	400 AA	10	BLK	7.5	9.65	27.17	1929 @ 42	31
UHP2712LL	205/50R17	93W	XL	400 AA	10	BLK	6.5	8.43	25.12	1433 @ 42	22
UHP2741LL	215/50R17	95W	XL	400 AA	10	BLK	7.0	8.90	26.00	1521 @ 42	25
UHP2716LL	225/50R17	98W	XL	400 AA	10	BLK	7.0	9.17	25.91	1653 @ 42	25
UHP2711LL	205/45R17	88W	XL	280 AA	10	BLK	7.0	8.11	24.25	1235 @ 42	21
UHP2714LL	215/45R17	91W	XL	400 AA	10	BLK	7.0	8.39	24.65	1356 @ 42	23
UHP2715LL	225/45R17	94W	XL	400 AA	10	BLK	7.5	8.86	24.96	1477 @ 42	23
UHP2717LL	235/45R17	97W	XL	400 AA	10	BLK	8.0	9.29	25.35	1609 @ 42	25
UHP2718LL	245/45R17	99W	XL	400 AA	10	BLK	8.0	9.57	25.67	1709 @ 42	25
UHP2710LL	205/40R17	84W	XL	400 AA	10	BLK	7.5	8.35	23.46	1102 @ 42	19
UHP2713LL	215/40R17	87W	XL	400 AA	10	BLK	7.5	8.58	23.78	1201 @ 42	21
UHP2750LL	245/40R17	95W	XL	400 AA	10	BLK	8.5	9.76	24.72	1521 @ 42	28
UHP2735LL	225/50R18	95V	SL	400 AA	10	BLK	7.0	9.17	27.00	1521 @ 36	24
UHP2723LL	235/50R18	101W	XL	400 AA	10	BLK	7.5	9.65	27.78	1819 @ 42	28
UHP2721LL	225/45R18	95W	XL	400 AA	10	BLK	7.5	8.86	25.94	1521 @ 42	25
UHP2745LL	235/45R18	94W	SL	400 AA	10	BLK	8.0	9.29	26.34	1477 @ 36	29
UHP2725LL	245/45R18	100W	XL	400 AA	10	BLK	8.0	9.57	26.65	1764 @ 42	27
UHP2726LL	255/45R18	103W	XL	400 AA	10	BLK	8.5	10.04	27.05	1929 @ 42	29
UHP2720LL	225/40R18	92W	XL	400 AA	10	BLK	8.0	9.06	25.08	1389 @ 42	23
UHP2722LL	235/40R18	95W	XL	400 AA	10	BLK	8.5	9.49	25.39	1521 @ 42	24
UHP2724LL	245/40R18	97W	XL	400 AA	10	BLK	8.5	9.76	25.71	1609 @ 42	26
UHP2719LL	215/35R18	84W	XL	400 AA	10	BLK	7.5	8.58	23.90	1102 @ 42	21
UHP2747LL	235/55R19	105W	XL	400 AA	10	BLK	7.5	9.65	29.17	2039 @ 42	33
UHP2760LL	235/40R19	96V	SL	400 AA	9	BLK	8.5	9.49	26.00	1565 @ 42	25
UHP2751LL	245/40R19	98W	XL	400 AA	10	BLK	8.5	9.76	26.73	1653 @ 42	30
UHP2727LL	225/35R19	88W	XL	280 AA	10	BLK	8.0	9.06	25.24	1235 @ 42	23
UHP2728LL	235/35R19	91W	XL	400 AA	10	BLK	8.5	9.49	25.47	1356 @ 42	24
UHP2754LL	255/35R19	96W	XL	400 AA	10	BLK	9.0	10.24	26.02	1565 @ 42	29
UHP2729LL	265/30R19	93W	XL	400 AA	10	BLK	9.5	10.67	25.31	1433 @ 42	28
UHP2733LL	275/55R20	117W	XL	400 AA	11	BLK	8.5	11.20	31.90	1150 @ 42	39
UHP2732LL	275/50R20	113W	XL	400 AA	11	BLK	8.5	11.18	30.87	2535 @ 50	41
UHP2736LL	235/45R20	100W	XL	400 AA	10	BLK	8.0	9.29	28.23	1764 @ 42	28
UHP2752LL	245/45R20	103W	XL	400 AA	10	BLK	8.0	9.57	28.66	1929 @ 42	34
UHP2740LL	275/45R20	110V	XL	400 AA	10	BLK	9.0	10.75	29.65	2337 @ 42	33
UHP2731LL	275/40R20	106W	XL	400 AA	11	BLK	9.5	10.90	28.70	950 @ 42	36
UHP2742LL	225/35R20	90W	XL	400 AA	10	BLK	8.0	9.06	26.22	1323 @ 42	28
UHP2749LL	245/35R20	95W	XL	400 AA	10	BLK	8.5	9.76	26.77	1521 @ 42	30
UHP2730LL	235/30R20	88Y	XL	400 AA	10	BLK	8.5	9.53	25.59	1235 @ 42	24
*UHP2759LL	305/45R22	118V	XL	400 AA	11	BLK	10.0	11.93	32.80	2910 @ 42	46
*UHP2758LL	305/40R22	114V	XL	400 AA	11	BLK	11.0	12.32	31.61	2601 @ 42	44
*UHP2755LL	265/35R22	102W	XL	400 AA	11	BLK	9.5	10.67	29.33	1874 @ 42	37
*UHP2744LL	235/30R22	90W	XL	400 AA	11	BSW	8.5	9.53	27.60	1323 @ 42	28
*UHP2748LL	245/30R22	92W	XL	400 AA	11	BSW	8.5	9.76	27.83	1389 @ 42	30
*UHP2753LL	255/30R22	95V	XL	400 AA	11	BSW	9.0	10.24	27.01	1609 @ 41	32
*UHP2757LL	305/35R24	112V	XL	400 AA	11	BLK	11.0	12.32	32.44	2469 @ 42	45
*UHP2756LL	305/30R26	109W	XL	400 AA	11	BLK	11.0	12.32	33.23	2271 @ 42	46

* Same Tread Design - Branded CrossWind AS SLT

CROSSWIND 4X4 HP

TOURING CUV/SUV

This highway performance, all-season tire provides year-round traction, making the CrossWind 4X4 HP the perfect choice for SUV and CUV drivers that don't want to sacrifice comfort for performance.

FEATURES & BENEFITS

- All-season H & V-rated highway performance for later model CUV, SUV and wagon applications
- Optimized 5-rib design provides a smooth, stable and quiet ride
- Wide circumferential grooves reduce hydroplaning and quickly evacuate road water
- Optimized sipe pattern and reinforced tread blocks promote outstanding cornering and handling performance
- Constructed to deliver outstanding wear performance

SIZES

- Available in 16" - 20" H and V-rated Metric sizes

FITS

- Popular late model CUVs, SUVs and vans

WARRANTY



40,000-mile/64,000-km. limited treadwear warranty



Free replacement first 2/32" of treadwear for workmanship and material



PERFORMANCE

	BRAKING	9
	DRY HANDLING	9
	RIDE COMFORT	9
	TREAD LIFE	9
	WET PERFORMANCE	9



CROSSWIND 4X4 HP TOURING CUV/SUV

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
SUV2509HPLL	225/75R16	104H	SL	440 AA	11	BLK	6.0	8.78	29.29	1984 @ 36	29
SUV2532HPLL	205/70R16	97V	SL	500 AA	11	BLK	6.0	8.23	27.32	1609 @ 35	27
SUV2504HPLL	215/70R16	100H	SL	440 AA	11	BLK	6.5	8.70	27.87	1764 @ 36	26
SUV2516HPLL	235/70R16	106H	SL	440 AA	11	BLK	7.0	9.45	28.98	2094 @ 36	29
SUV2525HPLL	265/70R16	112H	SL	440 AA	11	BLK	8.0	10.71	30.63	2469 @ 36	36
SUV2512HPLL	235/60R16	100H	SL	440 AA	11	BLK	7.0	9.45	27.09	1764 @ 36	27
SUV2508HPLL	225/65R17	102H	SL	440 AA	11	BLK	6.5	8.98	28.50	1874 @ 36	28
SUV2523HPLL	255/65R17	110H	SL	440 AA	11	BLK	7.5	10.24	30.08	2337 @ 36	34
SUV2524HPLL	265/65R17	112H	SL	440 AA	11	BLK	8.0	10.71	30.55	2469 @ 36	35
SUV2502HPLL	215/60R17	96H	SL	440 AA	11	BLK	6.5	8.70	27.17	1565 @ 36	25
SUV2513HPLL	235/60R17	106V	XL	440 AA	11	BLK	7.0	9.45	28.11	2094 @ 42	30
SUV2521HPLL	255/60R17	106H	SL	440 AA	11	BLK	7.5	10.24	29.06	2094 @ 36	33
SUV2505HPLL	225/55R17	101V	XL	440 AA	11	BLK	7.0	9.17	26.77	1819 @ 42	26
SUV2510HPLL	235/55R17	103V	XL	440 AA	11	BLK	7.5	9.65	27.17	1929 @ 42	27
SUV2526HPLL	275/55R17	109V	SL	440 AA	11	BLK	8.5	11.18	28.90	2271 @ 36	35
SUV2542HPLL	265/70R18	116H	SL	500 AA	11	BLK	8.0	10.71	32.64	2756 @ 35	54
SUV2531HPLL	235/65R18	106H	SL	440 AA	10	BLK	7.0	9.45	30.10	2094 @ 36	29
SUV2539HPLL	255/65R18	111H	SL	500 AA	11	BLK	8.0	10.71	31.54	2403 @ 35	41
SUV2541HPLL	265/65R18	114H	SL	500 AA	11	BLK	8.0	10.71	31.54	2601 @ 35	42
SUV2544HPLL	275/65R18	116H	SL	500 AA	11	BLK	8.0	10.98	32.09	2756 @ 35	57
SUV2506HPLL	225/60R18	100H	SL	440 AA	11	BLK	6.5	8.98	28.62	1764 @ 36	29
SUV2514HPLL	235/60R18	107V	XL	440 AA	11	BLK	7.0	9.45	29.09	2149 @ 42	31
SUV2530HPLL	245/60R18	105V	SL	440 AA	10	BLK	7.0	9.76	30.00	2039 @ 36	30
SUV2529HPLL	265/60R18	110H	SL	440 AA	10	BLK	8.0	10.71	31.00	2337 @ 36	34
SUV2533HPLL	225/55R18	98V	SL	500 AA	11	BLK	7.0	9.17	27.76	1653 @ 35	38
SUV2511HPLL	235/55R18	104V	XL	440 AA	11	BLK	7.5	9.65	28.15	1984 @ 42	29
SUV2519HPLL	255/55R18	109V	XL	440 AA	11	BLK	8.0	10.43	29.02	2271 @ 42	33
SUV2538HPLL	255/60R19	109H	SL	500 AA	11	BLK	7.5	10.24	31.06	2271 @ 35	38
SUV2535HPLL	245/55R19	103V	SL	500 AA	11	BLK	7.5	9.96	29.65	1929 @ 35	37
SUV2520HPLL	255/55R19	111V	SL	440 AA	11	BLK	8.0	10.43	30.04	2403 @ 42	35
SUV2536HPLL	255/50R19	107W	XL	500 AA	11	BLK	8.0	10.43	29.09	2149 @ 42	38
SUV2543HPLL	275/55R20	117V	XL	500 AA	11	BLK	8.5	11.18	31.89	2833 @ 42	50
SUV2534HPLL	245/50R20	102V	SL	500 AA	11	BLK	7.5	9.96	29.69	1874 @ 35	38
SUV2537HPLL	255/50R20	109V	XL	500 AA	11	BLK	8.0	10.43	30.08	2271 @ 42	49
SUV2540HPLL	265/50R20	111V	XL	500 AA	11	BLK	8.5	10.91	30.47	2403 @ 42	42

CROSSWIND H/T

HIGHWAY ALL-SEASON SUV/LT

The CrossWind H/T gives SUV, light truck and van drivers exactly what they're looking for – superior year-round performance.

FEATURES & BENEFITS

- Economical all-season performance for SUV, pickup and van applications
- 5-rib slotted shoulder design promotes a smooth ride and long, even wear
- Superior on-road performance with multi-surface capability
- Wide circumferential grooves reduce hydroplaning and quickly evacuate road water

SIZES

- Available in 15" - 20" Metric and LT sizes

FITS

- Mid/Full-size pickups, Jeeps, and SUVs



WARRANTY



50,000-mile/80,000-km. limited treadwear warranty
(applies to both Metric & LT sizes)



Free replacement first 2/32" of treadwear for workmanship and material

PERFORMANCE

	QUIET RIDE	10
	WET PERFORMANCE	10
	DRY HANDLING	9
	RIDE COMFORT	9
	TREAD LIFE	9



CROSSWIND H/T HIGHWAY ALL-SEASON SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
SUV2301HTLL	235/75R15	109T	SL	500 A B	13	BLK	6.5	9.25	28.86	2271 @ 42	-	31
SUV2304HTLL	215/70R16	100T	SL	500 A B	11	BLK	6.5	8.90	28.00	1764 @ 36	-	26
SUV2306HTLL	235/70R16	106T	SL	500 A B	12	BLK	7.0	9.61	29.00	2094 @ 36	-	29
SUV2311HTLL	245/70R16	107T	SL	500 A B	13	BLK	7.0	9.76	29.53	2149 @ 36	-	33
SUV2313HTLL	255/70R16	111T	SL	500 A B	13	BLK	7.5	10.24	30.08	2403 @ 36	-	35
SUV2307HTLL	265/70R16	112T	SL	500 A B	12	BLK	8.0	10.63	31.00	2469 @ 36	-	36
SUV2343HTLL	245/70R17	110T	SL	500 A B	13	BLK	7.0	9.76	30.55	2337 @ 36	-	35
SUV2345HTLL	265/70R17	115T	SL	500 A B	14	BLK	8.0	10.71	31.65	2679 @ 36	-	41
SUV2341HTLL	235/65R17	104T	SL	500 A B	13	BLK	7.0	9.45	29.06	1984 @ 36	-	31
SUV2342HTLL	245/65R17	107T	SL	500 A B	13	BLK	7.0	9.76	29.53	2149 @ 36	-	33
SUV2308HTLL	275/55R20	117T	XL	500 A B	11	BLK	8.5	11.49	32.00	2833 @ 42	-	40
LTR2302HTLL	LT235/85R16	120/116R	E	-	15	BLK	6.5	9.25	31.73	3086 @ 80	2756 @ 80	44
LTR2303HTLL	LT245/75R16	120/116R	E	-	15	BLK	7.0	9.76	30.47	3086 @ 80	2756 @ 80	43
LTR2304HTLL	LT265/75R16	123/120R	E	-	15	BLK	7.5	10.51	31.65	3417 @ 80	3085 @ 80	49
LTR2308HTLL	LT245/75R17	121/118R	E	-	14	BLK	7.0	9.57	32.00	3195 @ 80	2910 @ 80	45
LTR2305HTLL	LT265/70R17	121/118R	E	-	15	BLK	8.0	10.71	31.65	3195 @ 80	2910 @ 80	49
LTR2301HTLL	31X10.50R15LT	109R	C	-	15	BLK	8.5	10.55	30.51	2271 @ 51	-	41



L780

PERFORMANCE ALL-SEASON

In the city or on the highway, the CrossWind L780 all-season light truck tire delivers driving comfort and dependable grip.

FEATURES & BENEFITS

- All-season on-highway performance for pickups and light trucks
- 5-rib tread design for smooth ride quality and even wear
- Excellent traction and lateral skid prevention
- Slotted shoulder design for improved traction and water evacuation

SIZES

- Available in 15" - 16" Metric and LT sizes

FITS

- Pickups and Light Trucks



WARRANTY



Free replacement first 2/32" of treadwear for workmanship and material

PERFORMANCE

	BRAKING	9
	RIDE COMFORT	9
	WET PERFORMANCE	9
	DRY HANDLING	8
	TREAD LIFE	8

L780 HIGHWAY ALL-SEASON SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
LTR2061LL	P235/75R15	105S	SL	420 AA	12	BLK	6.5	9.25	28.86	2028 @ 35	-	29
LTR2071LL	LT215/85R16	115/112Q	E	-	14	BLK	6.0	8.50	30.39	2679 @ 80	2469 @ 80	36
LTR2074LL	LT235/85R16	120/116Q	E	-	14	BLK	6.5	9.25	31.73	3042 @ 80	2778 @ 80	43
LTR2072LL	LT225/75R16	115/112Q	E	-	14	BLK	6.0	8.78	29.29	2679 @ 80	2469 @ 80	36
LTR2076LL	LT245/75R16	120/116Q	E	-	14	BLK	7.0	9.76	30.47	3042 @ 80	2778 @ 80	43
LTR2077LL	LT265/75R16	123/120Q	E	-	14	BLK	7.5	10.51	31.65	3417 @ 80	3086 @ 80	47



CROSSWIND A/T

ALL-TERRAIN SUV/LT

Take the unbeaten path or enjoy a comfortable highway ride with the CrossWind A/T - a stylish and durable all-terrain tire.

FEATURES & BENEFITS

- Economical all-surface and all-season traction performance
- Aggressive large tread lug design for maximum grip and efficient cleaning
- Open shoulder for enhanced surface grip and water evacuation
- Excellent on-road ride quality and comfort

SIZES

- Available in 15" - 20" Metric and LT sizes

FITS

- Mid/Full-size pickups, Jeeps, and SUVs



WARRANTY



50,000-mile/80,000-km. limited treadwear warranty
(applies to both Metric & LT sizes)



Free replacement first 2/32" of treadwear for workmanship and material

PERFORMANCE



CROSSWIND A/T ALL-TERRAIN SUV/LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	UTQG	TREAD DEPTH (32ND)	SIDE WALL	RIM WIDTH	OVERALL WIDTH	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
SUV2130ATLL	235/75R15	109T	XL	520 A B	12	BLK	6.5	9.25	29.10	2271 @ 42	-	31
SUV2129ATLL	245/75R16	111T	SL	520 A B	13	BLK	7.0	9.76	30.00	2403 @ 36	-	35
SUV2114ATLL	265/75R16	116T	SL	520 A B	14	OWL	7.5	10.51	31.65	2756 @ 44	-	43
SUV2111ATLL	235/70R16	106T	SL	520 A B	14	OWL	7.0	9.45	28.98	2094 @ 44	-	36
SUV2112ATLL	245/70R16	111T	SL	520 A B	14	OWL	7.0	9.76	29.53	2403 @ 50	-	37
SUV2121ATLL	255/70R16	111S	SL	520 A B	13	BLK	7.5	10.16	29.00	2403 @ 36	-	36
SUV2113ATLL	265/70R16	112T	SL	520 A B	14	OWL	8.0	10.71	30.63	2469 @ 44	-	41
SUV2119ATLL	245/70R17	110S	SL	520 A B	13	BLK	7.0	9.69	30.00	2337 @ 36	-	37
SUV2143ATLL	265/70R17	115T	SL	520 A B	14	OWL	8.0	10.71	31.65	2679 @ 44	-	43
SUV2132ATLL	P285/70R17	117T	SL	520 A B	14	BLK	8.5	11.50	33.00	2833 @ 35	-	46
SUV2141ATLL	245/65R17	111T	SL	520 A B	14	OWL	7.0	9.76	29.53	2403 @ 50	-	37
SUV2142ATLL	265/65R17	112T	SL	520 A B	14	OWL	8.0	10.71	30.55	2469 @ 50	-	41
SUV2131ATLL	265/70R18	116T	SL	520 A B	14	BLK	8.0	10.71	33.00	2756 @ 36	-	43
SUV2128ATLL	275/65R18	116T	SL	520 A B	14	BLK	8.0	10.98	32.00	2756 @ 36	-	43
SUV2127ATLL	P275/60R20	114T	SL	520 A B	14	BLK	8.0	10.91	33.00	2601 @ 33	-	45
SUV2126ATLL	P275/55R20	111S	SL	520 A B	14	BLK	8.5	11.10	32.00	2403 @ 36	-	41
LTR2125ATLL	LT235/75R15	104/101R	C	-	15	BLK	6.5	9.25	29.00	1984 @ 51	1820 @ 51	35
LTR2109ATLL	LT215/85R16	115/112Q	E	-	14	BLK	6.0	8.43	30.00	2680 @ 80	2469 @ 80	38
LTR2111ATLL	LT235/85R16	120/116S	E	-	15	BLK	6.5	9.17	32.00	3042 @ 80	2778 @ 80	42
LTR2110ATLL	LT225/75R16	115/112Q	E	-	15	BLK	6.0	8.70	29.00	2680 @ 80	2679 @ 80	29
LTR2113ATLL	LT245/75R16	120/116Q	E	-	16	BLK	7.0	9.69	30.00	3042 @ 80	2778 @ 80	43
LTR2103ATLL	LT265/75R16	123/120R&Q	E	-	16	OWL	7.5	10.51	31.65	3415 @ 80	3085 @ 80	51
LTR2104ATLL	LT285/75R16	126/123R&Q	E	-	16	OWL	8.0	11.26	32.83	3748 @ 80	3415 @ 80	55
LTR2105ATLL	LT305/70R16	124/121R&Q	E	-	16	OWL	9.0	12.24	32.83	3527 @ 65	3197 @ 65	58
LTR2120ATLL	LT235/80R17	120/117R	E	-	15	BLK	6.5	9.25	32.00	3085 @ 80	2835 @ 80	44
LTR2123ATLL	LT245/75R17	121/118R	E	-	15	BLK	7.0	9.76	32.00	3195 @ 80	2910 @ 80	47
LTR2106ATLL	LT265/70R17	121/118R&Q	E	-	16	OWL	8.0	10.71	31.65	3195 @ 80	2910 @ 80	50
LTR2121ATLL	LT285/70R17	121/118S	D	-	16	BLK	8.5	11.50	33.00	3195 @ 65	2910 @ 65	54
LTR2107ATLL	LT305/70R17	119/116R&Q	D	-	16	OWL	9.0	12.24	33.86	2998 @ 51	2756 @ 51	59
LTR2119ATLL	LT265/70R18	124/121S	E	-	16	BLK	8.0	10.71	33.00	3525 @ 80	3195 @ 80	51
LTR2116ATLL	LT275/70R18	125/122S	E	-	16	BLK	8.0	10.91	33.00	3640 @ 80	3307 @ 80	53
LTR2114ATLL	LT275/65R18	123/120S	E	-	16	BLK	8.0	10.91	32.00	3415 @ 80	3086 @ 80	50
LTR2115ATLL	LT275/65R20	126/123S	E	-	16	BLK	8.0	10.91	34.00	3750 @ 80	3417 @ 80	54
LTR2124ATLL	LT265/60R20	121/118R	E	-	16	BLK	8.0	10.71	33.00	3195 @ 80	2910 @ 80	50
LTR2101ATLL	31X10.50R15LT	109R&Q	C	-	16	OWL	8.5	10.55	30.51	2271 @ 51	-	44
LTR2122ATLL	35X12.50R20LT	121Q	E	-	16	BLK	10.0	12.52	35.00	3195 @ 65	-	66

CROSSWIND M/T

TRACTION LT

An all-season tire, the CrossWind M/T is designed for use on Jeeps, SUVs, and Mid- and Full-sized pickup trucks, and offers drivers strong on- and off-road traction.

FEATURES & BENEFITS

- Shallow central grooves, with strong shoulder blocks to enhance puncture resistance
- Wide pattern blocks to provide strong traction on unpaved roads
- Aggressive design to provide superior off-road performance

SIZES


- Available in 15" - 20" LT sizes

FITS

- Mid/Full-size pickups, Jeeps and SUVs



PERFORMANCE



CROSSWIND M/T TRACTION LT

ARTICLE NO.	TIRE SIZE	SERVICE DESC.	LOAD RANGE	TREAD DEPTH (32ND)	SIDE WALL	STANDARD RIM	SECTION WIDTH (IN.)	OVERALL DIAMETER	SINGLE MAX. LOAD LBS@PSI	DUAL MAX. LOAD LBS@PSI	SHIP WEIGHT (LBS.)
MTR2814LL	LT235/75R15	104/101Q	C	17	BLK	6.5	9.25	29.09	1984 @ 51	1819 @ 51	38
MTR2816LL	LT235/85R16	120/116Q	E	17	BLK	6.5	9.25	31.73	3042 @ 80	2778 @ 80	45
MTR2817LL	LT245/75R16	120/116Q	E	17	BLK	7.0	9.76	30.47	3042 @ 80	2778 @ 80	45
MTR2821LL	LT265/75R16	123/120Q	E	18	BLK	7.5	10.51	31.89	3415 @ 80	3085 @ 80	51
MTR2826LL	LT285/75R16	126/123Q	E	18	BLK	8.0	10.71	33.07	3750 @ 80	3415 @ 80	57
MTR2829LL	LT315/75R16	127/124Q	E	SL	BLK	10.0	12.32	34.80	3860 @ 65	3535 @ 65	68
MTR2819LL	LT265/70R16	110/107Q	C	SL	BLK	8.0	10.71	30.87	2337 @ 51	2149 @ 51	45
MTR2827LL	LT305/70R16	124/121Q	E	SL	BLK	9.0	12.24	33.07	2910 @ 51	2679 @ 51	62
MTR2815LL	LT235/80R17	120/117Q	E	SL	BLK	6.5	9.17	32.05	3085 @ 80	2835 @ 80	47
MTR2820LL	LT265/70R17	121/118Q	E	18	BLK	8.0	11.50	31.89	3197 @ 80	2910 @ 80	53
MTR2825LL	LT285/70R17	121/118Q	E	18	BLK	8.5	10.91	32.99	3197 @ 65	2910 @ 65	56
MTR2822LL	LT275/70R18	125/122Q	E	18	BLK	8.0	9.45	33.43	3640 @ 80	2755 @ 80	54
MTR2824LL	LT285/65R20	127/124Q	E	SL	BLK	8.5	11.41	34.80	3860 @ 80	3525 @ 80	62
MTR2823LL	LT285/55R20	122/119Q	E	SL	BLK	9.0	11.61	32.60	3305 @ 80	3000 @ 80	58
MTR2803LL	31X10.50R15LT	109Q	C	18	BLK	8.5	12.52	30.75	2337 @ 51	-	46
MTR2806LL	33X12.50R15LT	108Q	C	18	BLK	10.0	12.52	32.76	2205 @ 36	-	54
MTR2808LL	35X12.50R17LT	121Q	E	18	BLK	10.0	12.52	34.76	3197 @ 65	-	67
MTR2807LL	33X12.50R18LT	118Q	E	18	BLK	10.0	12.52	32.76	2910 @ 65	-	62
MTR2809LL	35X12.50R18LT	123Q	E	18	BLK	10.0	12.52	34.76	3415 @ 65	-	68
MTR2804LL	33X12.50R20LT	114Q	E	20	BLK	10.0	12.40	32.80	2600 @ 65	-	66
MTR2810LL	35X12.50R20LT	121Q	E	20	BLK	10.0	12.40	34.80	3195 @ 65	-	69
MTR2805LL	33x12.50R22LT	109Q	E	SL	BLK	10.0	12.52	32.51	2271 @ 65	-	64
MTR2811LL	35x12.50R22LT	117Q	E	SL	BLK	10.0	12.52	34.52	2833 @ 65	-	69



NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

[illegible]

CrossWind

tbcbrands.com • treadxpress.com • 1-866-822-4968

TBCBrands®

4300 TBC Way, Palm Beach Gardens, FL 33410